



# SAFETY DATA SHEET

## CS100 EPOXY PRIMER PART B (formerly EPOXYPRIME PLUS)

### 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME CS100 EPOXY PRIMER PART B (formerly EPOXYPRIME PLUS)

SUPPLIER Tremco illbruck Coatings Ltd  
 Coupland Rd  
 Hindley Green  
 Wigan  
 WN2 4HT  
 England  
 Phone: +44 (0) 1942 251400  
 Fax: +44 (0) 1942 521923  
 msds@tremco-illbruck.com

PRODUCT NO. 10589

APPLICATION Curing agent for a waterborne epoxy primer

EMERGENCY TELEPHONE +44 (0) 1942 251400 (UK)

### 2 HAZARDS IDENTIFICATION

Irritating to eyes.  
 CLASSIFICATION (1999/45) Xi;R36.

### 3 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content	Classification (67/548)
POLYAMIDE			5-10%	Xi;R38,R41.

The Full Text for all R-Phrases are Displayed in Section 16

### 4 FIRST-AID MEASURES

**INHALATION**  
 Fresh air and rest.

**INGESTION**  
 Rinse mouth thoroughly. Get medical attention.

**SKIN CONTACT**  
 Wash the skin immediately with soap and water. Get medical attention if any discomfort continues.

**EYE CONTACT**  
 Make sure to remove any contact lenses from the eyes before rinsing. Rinse the eye with water immediately. Continue to rinse for at least 15 minutes and get medical attention.

### 5 FIRE-FIGHTING MEASURES

**EXTINGUISHING MEDIA**  
 The product is non-combustible.

### 6 ACCIDENTAL RELEASE MEASURES

**PERSONAL PRECAUTIONS**  
 Wear protective clothing as described in Section 8 of this safety data sheet. Avoid contact with eyes.

**ENVIRONMENTAL PRECAUTIONS**  
 Avoid release to the environment.

# CS100 EPOXY PRIMER PART B (formerly EPOXYPRIME PLUS)

## SPILL CLEAN UP METHODS

Provide ventilation and confine spill. Do not allow runoff to sewer. Absorb in vermiculite, dry sand or earth and place into containers.

## 7 HANDLING AND STORAGE

### USAGE PRECAUTIONS

Read and follow manufacturer's recommendations. Avoid contact with skin and eyes.

## 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

### PROTECTIVE EQUIPMENT



### HAND PROTECTION

Use protective gloves.

### EYE PROTECTION

Use approved safety goggles or face shield.

## 9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Mobile Liquid		
COLOUR	Amber		
ODOUR	Ammonia		
SOLUBILITY	Miscible with water		
BOILING POINT (°C)	100°C	RELATIVE DENSITY	1.01
pH-VALUE, CONC. SOLUTION	7		

## 10 STABILITY AND REACTIVITY

### STABILITY

Stable under normal temperature conditions and recommended use.

### HAZARDOUS DECOMPOSITION PRODUCTS

Fire creates: Carbon monoxide (CO). Oxides of: Nitrogen.

## 11 TOXICOLOGICAL INFORMATION

### INGESTION

Low oral toxicity

### SKIN CONTACT

Liquid may irritate skin.

### EYE CONTACT

May cause severe irritation to eyes.

## 12 ECOLOGICAL INFORMATION

### ECOTOXICITY

No data on possible environmental effects have been found.

## 13 DISPOSAL CONSIDERATIONS

### DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements.

## 14 TRANSPORT INFORMATION

### GENERAL

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

# CS100 EPOXY PRIMER PART B (formerly EPOXYPRIME PLUS)

## 15 REGULATORY INFORMATION

LABELLING



Irritant

RISK PHRASES

R36 Irritating to eyes.

SAFETY PHRASES

S25 Avoid contact with eyes.

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

UK REGULATORY REFERENCES

Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 ("CHIP 4")

EU DIRECTIVES

Dangerous Preparations Directive 1999/45/EC

## 16 OTHER INFORMATION

REVISION COMMENTS

NOTE: Lines within the margin indicate significant changes from the previous revision.

REVISION DATE 13/08/2010

REV. NO./REPL. SDS GENERATED 10/10/2006

SDS NO. 10449

RISK PHRASES IN FULL

R38 Irritating to skin.

R41 Risk of serious damage to eyes.