



SAFETY DATA SHEET

CS930 EPOXY DUSTPROOFER SPECIAL - CURATIVE

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME CS930 EPOXY DUSTPROOFER SPECIAL - CURATIVE
 PRODUCT NO. 10864
 APPLICATION Floor coating component
 SUPPLIER Tremco illbruck Production Ltd
 Coupland Rd
 Hindley Green
 Wigan
 WN2 4HT
 England
 Phone: +44 (0) 1942 251400
 Fax: +44 (0) 1942 521923
 msds@tremco-illbruck.com
 EMERGENCY TELEPHONE +44 (0) 1942 258011

2 HAZARDS IDENTIFICATION

Risk of serious damage to eyes.

CLASSIFICATION Xi;R41.

3 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content	Classification
POLYAMINE-EPOXY ADDUCT			<25%	Xn;R22. Xi;R41.

The Full Text for all R-Phrases are Displayed in Section 16

4 FIRST-AID MEASURES

INGESTION

DO NOT induce vomiting. Get medical attention immediately.

SKIN CONTACT

Immediately remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if irritation persists after washing.

EYE CONTACT

Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes and get medical attention.

5 FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

Extinguish with foam, carbon dioxide, dry powder or water fog.

6 ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS

Wear protective clothing as described in Section 8 of this safety data sheet.

ENVIRONMENTAL PRECAUTIONS

Avoid release to the environment.

CS930 EPOXY DUSTPROOFER SPECIAL - CURATIVE

SPILL CLEAN UP METHODS

Absorb in vermiculite, dry sand or earth and place into containers.

7 HANDLING AND STORAGE

USAGE PRECAUTIONS

Avoid spilling, skin and eye contact.

STORAGE PRECAUTIONS

Store in closed original container in a dry place.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT



HAND PROTECTION

Use suitable protective gloves if risk of skin contact.

EYE PROTECTION

Wear splash-proof eye goggles to prevent any possibility of eye contact.

9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Liquid		
COLOUR	Varying		
ODOUR	Ammonia		
SOLUBILITY	Insoluble in water		
BOILING POINT (°C)	>100°C	RELATIVE DENSITY	1.2
VOLATILE ORGANIC COMPOUND (VOC)	0 g/litre		

10 STABILITY AND REACTIVITY

STABILITY

Stable under normal temperature conditions and recommended use.

MATERIALS TO AVOID

Strong acids.

HAZARDOUS DECOMPOSITION PRODUCTS

By fire, toxic gases (CO, CO₂, NO_x) may be formed.

11 TOXICOLOGICAL INFORMATION

INGESTION

May cause internal injury.

SKIN CONTACT

Slightly irritating.

EYE CONTACT

Risk of serious damage to eyes. The active ingredient has been shown to cause death in experimental animals via eye absorption.

12 ECOLOGICAL INFORMATION

ECOTOXICITY

The product is not expected to be hazardous to the environment.

CS930 EPOXY DUSTPROOFER SPECIAL - CURATIVE

13 DISPOSAL CONSIDERATIONS

GENERAL INFORMATION

Waste product is classified as Hazardous Waste

Fully cured product is not hazardous

DISPOSAL METHODS

In the UK refer to the Hazardous Waste Regulations (2005)

WASTE CLASS

Hazard Classification: H4 EWC Code: 08 01 11

14 TRANSPORT INFORMATION

GENERAL

Not classified as hazardous for transport

15 REGULATORY INFORMATION

LABELLING



Irritant

RISK PHRASES

R41 Risk of serious damage to eyes.

SAFETY PHRASES

S25 Avoid contact with eyes.

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S39 Wear eye/face protection.

UK REGULATORY REFERENCES

Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 ("CHIP 4")

EU DIRECTIVES

Dangerous Preparations Directive 1999/45/EC.

16 OTHER INFORMATION

REVISION COMMENTS

NOTE: Lines within the margin indicate significant changes from the previous revision.

REVISION DATE 15/12/2009

REV. NO./REPL. SDS GENERATED 05/06/2008

SDS NO. 10878

RISK PHRASES IN FULL

R22 Harmful if swallowed.

R41 Risk of serious damage to eyes.