



SAFETY DATA SHEET

SX300 UNITEX NA PART B (formerly TREADFAST)

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME	SX300 UNITEX NA PART B (formerly TREADFAST)
SUPPLIER	Tremco illbruck Coatings Ltd Coupland Rd Hindley Green Wigan WN2 4HT England Phone: +44 (0) 1942 251400 Fax: +44 (0) 1942 521923 msds@tremco-illbruck.com
PRODUCT NO.	10910
APPLICATION	One part of a multi-part smoothing underlayment for floors
EMERGENCY TELEPHONE	+44 (0) 1942 251400 (UK)

2 HAZARDS IDENTIFICATION

Not regarded as a health or environmental hazard under current legislation.

3 COMPOSITION/INFORMATION ON INGREDIENTS

COMPOSITION COMMENTS

No hazardous ingredient present in significant quantity

4 FIRST-AID MEASURES

INHALATION

Fresh air. Get medical attention if any discomfort continues.

INGESTION

Rinse mouth thoroughly. Drink plenty of water. Get medical attention.

SKIN CONTACT

Wash skin thoroughly with soap and water. Get medical attention if irritation persists after washing.

EYE CONTACT

Promptly wash eyes with plenty of water while lifting the eye lids. Get medical attention if any discomfort continues.

5 FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

The product is non-combustible.

6 ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS

Wear protective clothing as described in Section 8 of this safety data sheet.

ENVIRONMENTAL PRECAUTIONS

Avoid release to the environment.

SPILL CLEAN UP METHODS

Absorb in vermiculite, dry sand or earth and place into containers.

7 HANDLING AND STORAGE

SX300 UNITEX NA PART B (formerly TREADFAST)

USAGE PRECAUTIONS

Read and follow manufacturer's recommendations. Avoid contact with skin and eyes.

STORAGE PRECAUTIONS

Keep in original container. Store in a cool and well-ventilated place.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT



HAND PROTECTION

Protective gloves are recommended.

EYE PROTECTION

Safety glasses are recommended.

9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Liquid		
COLOUR	White		
ODOUR	Mild		
SOLUBILITY	Miscible with water		
BOILING POINT (°C)	100°C 760 mm Hg	RELATIVE DENSITY	0.95 @ 20°C
pH-VALUE, CONC. SOLUTION	approx. 9	FLASH POINT (°C)	not applicable

10 STABILITY AND REACTIVITY

STABILITY

Stable under normal temperature conditions and recommended use.

MATERIALS TO AVOID

Strong acids. Metals

HAZARDOUS DECOMPOSITION PRODUCTS

None under normal conditions.

11 TOXICOLOGICAL INFORMATION

GENERAL INFORMATION

No specific health warnings noted.

12 ECOLOGICAL INFORMATION

ECOTOXICITY

Little danger to the environment.

13 DISPOSAL CONSIDERATIONS

GENERAL INFORMATION

Product is not classified as hazardous waste according to the Hazardous Waste Regulations (2005)

DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements.

WASTE CLASS

EWC Code : 08 04 16

14 TRANSPORT INFORMATION

GENERAL

Not regulated. The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

SX300 UNITEX NA PART B (formerly TREADFAST)

15 REGULATORY INFORMATION

RISK PHRASES

NC Not classified.

SAFETY PHRASES

NC Not classified.

UK REGULATORY REFERENCES

Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 ("CHIP 4")

EU DIRECTIVES

Dangerous Preparations Directive 1999/45/EC.

16 OTHER INFORMATION

REVISION COMMENTS

NOTE: Lines within the margin indicate significant changes from the previous revision.

REVISION DATE 13/08/2010

REV. NO./REPL. SDS GENERATED 02/12/2008

SDS NO. 10947

RISK PHRASES IN FULL