



SAFETY DATA SHEET

TREADFAST UNISPEC Sx-1 LIQUID

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME	TREADFAST UNISPEC Sx-1 LIQUID
PRODUCT NO.	10812
APPLICATION	One part of a multi-part smoothing underlayment for floors
SUPPLIER	Tremco illbruck Production Ltd Coupland Rd Hindley Green Wigan WN2 4HT England Phone: +44 (0) 1942 251400 Fax: +44 (0) 1942 521923 msds@tremco-illbruck.com
EMERGENCY TELEPHONE	+44 (0) 1942 258011

2 HAZARDS IDENTIFICATION

Not regarded as a health or environmental hazard under current legislation.

3 COMPOSITION/INFORMATION ON INGREDIENTS

COMPOSITION COMMENTS

No significant hazardous ingredients

4 FIRST-AID MEASURES

INHALATION

Move into fresh air and keep at rest. Get medical attention if any discomfort continues.

INGESTION

DO NOT induce vomiting. Get medical attention immediately.

SKIN CONTACT

Remove contaminated clothing. Wash the skin immediately with soap and water. Contact physician if irritation continues or sores develop.

EYE CONTACT

Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes and get medical attention.

5 FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

The product is non-combustible.

Use fire-extinguishing media appropriate for surrounding materials.

6 ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS

Wear protective clothing as described in Section 8 of this safety data sheet. Avoid contact with skin and eyes.

ENVIRONMENTAL PRECAUTIONS

Do not discharge onto the ground or into water courses.

TREADFAST UNISPEC Sx-1 LIQUID

SPILL CLEAN UP METHODS

Collect with absorbent, non-combustible material into suitable containers.

7 HANDLING AND STORAGE

USAGE PRECAUTIONS

No specific usage precautions noted. Avoid spilling, skin and eye contact.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT



HAND PROTECTION

PVC or rubber gloves are recommended.

EYE PROTECTION

Wear splash-proof eye goggles to prevent any possibility of eye contact.

9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Liquid		
COLOUR	White		
ODOUR	Characteristic		
BOILING POINT (°C)	100°C	RELATIVE DENSITY	1.0
pH-VALUE, CONC. SOLUTION	10		

10 STABILITY AND REACTIVITY

STABILITY

Stable under normal temperature conditions and recommended use.

11 TOXICOLOGICAL INFORMATION

GENERAL INFORMATION

This product has low toxicity. Only large volumes may have adverse impact on human health.

12 ECOLOGICAL INFORMATION

ECOTOXICITY

The product is not expected to be hazardous to the environment.

BIOACCUMULATION

Will not bio-accumulate.

13 DISPOSAL CONSIDERATIONS

DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements.

WASTE CLASS

EWC Code : 08 04 16

14 TRANSPORT INFORMATION

GENERAL

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

TREADFAST UNISPEC Sx-1 LIQUID

15 REGULATORY INFORMATION

RISK PHRASES

NC Not classified.

SAFETY PHRASES

NC Not classified.

UK REGULATORY REFERENCES

Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 ("CHIP 4")

EU DIRECTIVES

Dangerous Preparations Directive 1999/45/EC.

16 OTHER INFORMATION

REVISION COMMENTS

NOTE: Lines within the margin indicate significant changes from the previous revision.

REVISION DATE 12/06/2009

REV. NO./REPL. SDS GENERATED 18/04/2008

SDS NO. 10852